

Intelligent, Simple Coverslipping

ClearVue™ Coverslipper

epredia

ClearVue™ Coverslipper

Coverslipping can be a tedious task in your laboratory. Epredia offers automated coverslipping with the ClearVue™ coverslipper.

Place a basket of slides onto the load rail and close the door. It's that simple — Epredia ClearVue™ coverslipper does the rest, delivering the speed and precision your busy lab demands.

Load–on–Demand

- Load baskets one at a time or up to five baskets together
- Continuously load up to eleven baskets to manage workflow

Specimen Recognition

- Can handle both histology and cytology samples simultaneously through recognition of ClearVue™ slide basket retainer
- Adjusts the amount of mountant based on slide basket retainer

User Interface

- Intuitive user interface featuring a touch screen panel
- Software monitors the type of slide preparation, size and number of coverslips dispensed, and the number of baskets waiting to be coverslipped

Optical Recognition

- Optically recognizes and positions slides during the coverslipping process
- Recognizes the position of each slide in a basket, removes each slide with a set of slide grippers and returns every slide while maintaining slide positioning

Pre–Loaded Coverslip Hoppers

Convenient, pre-loaded coverslip hoppers





Safety Features

- System will not operate when any door is open, protecting the user
- Downdraft ventilation protects the user from harmful fumes when loading and unloading slide baskets
- Charcoal filter removes any vapors before they can escape the unit
- Removable debris and purge trays make clean up quick and easy
- Battery backup ensures completion of any basket in process during power cut

Compatibility

- Offers compatibility with a variety of stainers to accommodate almost any lab setting
- Accepts slide baskets directly from the Gemini™ AS slide stainer and Slide Basket Transfer System, and also Sakura DRS™ 2000 and Leica™ Auto-Stainer™
- Slide baskets from any of these stainers can be loaded onto the ClearVue™ coverslipper in a mix or match fashion without making adjustments

Product Description	Cat. No
ClearVue™ Coverslipper	A79200001
Physical Specifications	
Dimension (D x W x H)	22.6 x 25.4 x 19.7 in. (57.4 x 64.5 x 50 cm)
Weight	106 lbs / 48 kg
Power supply voltages	100-240 VAC
Frequency	50 / 60 Hz

Coverglass Hoppers for Clearvue™ Automated Coverslipper

- To be used with Epredia ClearVue™ Automated Coverslipper
- 2 hoppers per case

Dimensions	Thickness	Quantity	Cat. No
24x50mm	#1	575 per hopper, 2 hoppers per case	A79210166
24x40mm	#1.5	500 per hopper, 2 hoppers per case	A79210050
24x50mm	#1.5	500 per hopper, 2 hoppers per case	A79210051
24x55mm	#1.5	500 per hopper, 2 hoppers per case	A79210052



Combined Staining and Coverslipping Solution – Gemini™ ClearVue™ Combined System

Free up technician time with the automatic transfer of slides baskets from the Gemini™ AS Slide Stainer to the ClearVue™ Coverslipper by the Slide Basket Transfer System. Components available separately to upgrade existing equipment‡.

Gemini™ AS Automatic Slide Stainer

- Improve throughput with 26 reagent stations – enough to run several protocols at once
- Intelligent software automatically optimizes reagent layouts and allows for multiple racks to be run for maximum output
- Five optional on-board heaters cater to slide drying in high-volume situations



Product Description	Cat. No
Gemini™ ClearVue™ Combined Staining and Coverslipping Solution	
– With 26 reagent stations and 5 heater stations	A84500005
– With 26 reagent stations and 5 dry storage positions	A84500006

‡Contact your Epredia representative to discuss upgrade options.

Find out more at **epredia.com**

4481 Campus Drive | Kalamazoo, MI 49008 | United States | +1 (800) 522-7270

© 2024 Epredia Group. All rights reserved. All trademarks are the property of Epredia Group and its subsidiaries unless otherwise specified. **M2500033 – EN_A4 R032025**

epredia
A Member of PHC Group